

Data sheet

## IGNITE SKYFIZZ



### GENERAL

Art. no.: G-0131-XS/M  
Customs no.: 63079098

EAN: 4030281010135  
Standard: EN 361:2002

## Data sheet

### IGNITE SKIFIZZ

The high-performance complete harness IGNITE SKIFIZZ is the new all-rounder for maintenance work and construction. Thanks to its innovative features, it offers users the opportunity to concentrate on the essentials at work, thereby increasing productivity many times over. The robust harness has durable plastic material eyelets (15 kg load capacity). Due to the individual adjustment, the central O-ring sits optimally on the body. The comfortable large-area back padding ensures an even distribution of the load and is breathable. The double-wrapped and firmly sewn terminations secure loose webbing and prevent slipping.

- High performance complete harness for maintenance work
- Durable plastic material eyelets
- Comfortable back padding

#### FEATURES

Colour:

black / orange / anthracite

Fall indicator

Gear loop: yes

Max. service life: 10 Years

Max. number of persons: 1

Rated load: 140

Attachment Points:

dorsal attachment point, sternal attachment point

Temperature: from 45 °C to -35 °C

#### DIMENSIONS

Size: XS/M

Weight: 1,93 kg

## MATERIAL

Material:	Polyester, Steel
Webbing material:	Polyester
Sternal attachment point material:	
Steel	
Dorsal attachment point material:	
Steel	
Material Click buckle:	Steel

Data sheet

## IGNITE SKYFIZZ



### GENERAL

Art. no.: G-0131-M/XXL

EAN: 4030281010111

Customs no.: 63079098

Standard: EN 361:2002

## Data sheet

### IGNITE SKIFIZZ

The high-performance complete harness IGNITE SKIFIZZ is the new all-rounder for maintenance work and construction. Thanks to its innovative features, it offers users the opportunity to concentrate on the essentials at work, thereby increasing productivity many times over. The robust harness has durable plastic material eyelets (15 kg load capacity). Due to the individual adjustment, the central O-ring sits optimally on the body. The comfortable large-area back padding ensures an even distribution of the load and is breathable. The double-wrapped and firmly sewn terminations secure loose webbing and prevent slipping.

- High performance complete harness for maintenance work
- Durable plastic material eyelets
- Comfortable back padding

#### FEATURES

Colour:

black / orange / anthracite

Fall indicator

Gear loop: yes

Max. service life: 10 Years

Max. number of persons: 1

Rated load: 140

Attachment Points:

dorsal attachment point, sternal attachment point

Temperature: from 45 °C to -35 °C

#### DIMENSIONS

Size: M/XXL

Weight: 1,96 kg

## MATERIAL

Material:	Polyester, Steel
Webbing material:	Polyester
Sternal attachment point material:	
Steel	
Dorsal attachment point material:	
Steel	
Material Click buckle:	Steel

Data sheet

## IGNITE SKYFIZZ



### GENERAL

Art. no.: G-0131-XXL/5XL

EAN: 4030281010142

Customs no.: 63079098

Standard: EN 361:2002

## Data sheet

### IGNITE SKIFIZZ

The high-performance complete harness IGNITE SKIFIZZ is the new all-rounder for maintenance work and construction. Thanks to its innovative features, it offers users the opportunity to concentrate on the essentials at work, thereby increasing productivity many times over. The robust harness has durable plastic material eyelets (15 kg load capacity). Due to the individual adjustment, the central O-ring sits optimally on the body. The comfortable large-area back padding ensures an even distribution of the load and is breathable. The double-wrapped and firmly sewn terminations secure loose webbing and prevent slipping.

- High performance complete harness for maintenance work
- Durable plastic material eyelets
- Comfortable back padding

#### FEATURES

Colour:

black / orange / anthracite

Fall indicator

Gear loop: yes

Max. service life: 10 Years

Max. number of persons: 1

Rated load: 140

Attachment Points:

dorsal attachment point, sternal attachment point

Temperature: from 45 °C to -35 °C

#### DIMENSIONS

Size: XXL/5XL

Weight: 2,02 kg



## MATERIAL

Material:	Polyester, Steel
Webbing material:	Polyester
Sternal attachment point material:	
Steel	
Dorsal attachment point material:	
Steel	
Material Click buckle:	Steel