Honeywell | Safety Products





PRODUCT NUMBER: 4503000 SPACEL 3000 RA / EBJ

Liquid tight coverall designed to protect workers from chemicals. Its new ergonomics offer a better fitting and protection. Model with elasticated wrists and ankles; double adhesive flap and welded zipper.

Honeywell

+ View More

Reference Number 4503000

Product Type Protective Clothing

Range **Disposable Clothing**

Line Disposable

Brand

Honeywell

Industry

- Chemical Industries
 General Industry
 Industrial Cleaning
 Maintenance
- Medical and Pharmaceutical Offshore Petro-chemical Utilities

Product Use

Chemistry, petrochemistry, in-shore/off-shore oil industry, industrial maintenance, pharmaceutical industry, spoiled beach cleaning, transportation of hazardous materials, industrial sub-contracting cleaning, sanitation, waste processing, emergency services.

Overview

Feature

Enhanced protection

Benefit

Features & Benefits Double adhesive flap Wel

Double adhesive flap Welded zipper Very good abrasion, tear and puncture resistance Watertight due to "Spaseal" welding, an exclusive Honeywell Safety Product process

Feature

Ergonomics

Benefit

New design for better comfort and safety Raw material elongation up to 400% Elasticated hood, waist, wrists and ankles

Feature
Double adhesive flap Sealed zipper

Benefit Ensures safety

Feature Long bust, arms, and legs

Benefit Ensures safety

Feature

Yellow colour

Benefit better visibility

Description Three-layered yellow polyethylene film

Gender

Unisex

Size From S to XXXL - International size

Table Size Table size

Color

Yellow

Thickness 100µ

Composition Three-layered yellow polyethylene film

Type of Protection

Technical Description

Page 2 Of 4

SPACEL 3000 RA - EBJ - 4503000

• 3 • 4 • 5 • 6b

Performance

Excellent liquid resistance High chemical resistance Elongation up to 400% Double adhesive flap

Limitation of use

This product is a single use garment. The user can wear this garment in association with other equipments (shoes, gloves, glasses, masks...). Do not use the overalls when there is a defect. When the closing system is faulty, the seams open or any other defects which appear.

Warning

The choice and use of personal protective equipment must comply with the European Directive No. 89/656/CEE of 30/11/1989. The employer must have previously analyzed and assessed the risks linked to intervention and to those generated by the use of the personal protective equipment selected.



EC Category PPE

3

EC Certificate Number 03310347

EC Attestation

EC Attestation Number 03310347

We're sorry, there are no images available at this time.

Photos & Images

Certifications

User Manual

Spacel 3000 and 4000 User guide - indice f - 15 October 2012

Additional Information

Life Cycle

Disposable item. To be discarded after use. Do not reuse this item.

Storage Information

-10°C to + 40°C in its original packaging and carton, optimal product use is ensured 3 years

Maintenance

SPACEL 3000 RA - EBJ - 4503000



Quantity per Carton 25 pcs

Packaging

© Honeywell International Inc.