

DATASHEET

IGNITE TRION



GENERAL

Art.Nr:	G-1131-S-ST- XXL/5XL	Standards:	EN 358:2018,EN 361: 2002
GTIN:	4030281295969	Net weight:	2.70 kg
E-class number:	40-02-01-02	Gross weight:	2.70
Customs tariff number:	63079098		

DATASHEET

IGNITE TRION

With climbing protection eyelet.

The new high-performance full body harness for industry and trade is uncomplicated and very easy to buckle on. The harness scores with extremely flexible adjustments of belt straps that are passed through the thin but effective hip padding. Due to its asymmetric shape, the padding ensures that the buckle does not exert any pressure in the abdominal area. Ergonomic eyelets are perfectly folded in at the hip without interfering. They are unfolded for use and maintain their position after snapping - if necessary throughout the day. The innovative OKTALOCK click buckles made of stainless steel include new adjustment elements that eliminate undesirable loosening of the belt strap during movement and obviate the need for readjusting during work. There are also 2 material loops on the belt.

Functionality and ergonomics in abundance:

- asymmetric padding with integrated belt guide
- 4 buckles allow individual adjustments
- retaining eyelets fit the hip ergonomically

FEATURES

Attachment points:	Sternal steel attachment point, Dorsal aluminium attachment point, Side aluminium attachment point, Climbing protection steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	2
Application areas:	Roofers, Facades cleaning, Wind energy, Scaffolding, Steelwork
Colour:	Black, polyethylene_terephthalate, Anthracite
Harness features:	Webbing rewind, Fallindicator
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	130 cm
Maximum leg size:	95 cm
Maximum temperature:	45 °C
Minimum hip size:	80 cm
Minimum leg size:	65 cm
Minimum temperature:	-35 °C
Padding:	Removeable shoulder paddings, Back padding, Leg paddings removeable

DATASHEET

IGNITE TRION

Buckles: stick_buckle, oktalock

Adjusting buckles: Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs

DIMENSIONS

Size: XXL-5XL

MATERIAL

Material: Polyester, Aluminium, Stainless Steel, Steel

DATASHEET

IGNITE TRION



GENERAL

Art.Nr:	G-1131-S-ST-M/XXL	Standards:	EN 358:2018,EN 361:2002
GTIN:	4030281295945	Net weight:	2.61 kg
E-class number:	40-02-01-02	Gross weight:	2.61
Customs tariff number:	63079098		

DATASHEET

IGNITE TRION

With climbing protection eyelet.

The new high-performance full body harness for industry and trade is uncomplicated and very easy to buckle on. The harness scores with extremely flexible adjustments of belt straps that are passed through the thin but effective hip padding. Due to its asymmetric shape, the padding ensures that the buckle does not exert any pressure in the abdominal area. Ergonomic eyelets are perfectly folded in at the hip without interfering. They are unfolded for use and maintain their position after snapping - if necessary throughout the day. The innovative OKTALOCK click buckles made of stainless steel include new adjustment elements that eliminate undesirable loosening of the belt strap during movement and obviate the need for readjusting during work. There are also 2 material loops on the belt.

Functionality and ergonomics in abundance:

- asymmetric padding with integrated belt guide
- 4 buckles allow individual adjustments
- retaining eyelets fit the hip ergonomically

FEATURES

Attachment points:	Sternal steel attachment point, Dorsal aluminium attachment point, Side aluminium attachment point, Climbing protection steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	2
Application areas:	Roofers, Facades cleaning, Wind energy, Scaffolding, Steelwork
Colour:	Black, polyethylene_terephthalate, Anthracite
Harness features:	Webbing rewind, Fallindicator
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	130 cm
Maximum leg size:	85 cm
Maximum temperature:	45 °C
Minimum hip size:	80 cm
Minimum leg size:	55 cm
Minimum temperature:	-35 °C
Padding:	Removeable shoulder paddings, Back padding, Leg paddings removeable

DATASHEET

IGNITE TRION

Buckles: stick_buckle, oktalock

Adjusting buckles: Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs

DIMENSIONS

Size: M-XXL

MATERIAL

Material: Polyester, Aluminium, Stainless Steel, Steel

DATASHEET

IGNITE TRION



GENERAL

Art.Nr:	G-1131-S-ST-XS/M	Standards:	EN 358:2018,EN 361:2002
GTIN:	4030281295952	Net weight:	2.52 kg
E-class number:	40-02-01-02	Gross weight:	2.52
Customs tariff number:	63079098		

DATASHEET

IGNITE TRION

With climbing protection eyelet.

The new high-performance full body harness for industry and trade is uncomplicated and very easy to buckle on. The harness scores with extremely flexible adjustments of belt straps that are passed through the thin but effective hip padding. Due to its asymmetric shape, the padding ensures that the buckle does not exert any pressure in the abdominal area. Ergonomic eyelets are perfectly folded in at the hip without interfering. They are unfolded for use and maintain their position after snapping - if necessary throughout the day. The innovative OKTALOCK click buckles made of stainless steel include new adjustment elements that eliminate undesirable loosening of the belt strap during movement and obviate the need for readjusting during work. There are also 2 material loops on the belt.

Functionality and ergonomics in abundance:

- asymmetric padding with integrated belt guide
- 4 buckles allow individual adjustments
- retaining eyelets fit the hip ergonomically

FEATURES

Attachment points:	Sternal steel attachment point, Dorsal aluminium attachment point, Side aluminium attachment point, Climbing protection steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	2
Application areas:	Roofers, Facades cleaning, Wind energy, Scaffolding, Steelwork
Colour:	Black, polyethylene_terephthalate, Anthracite
Harness features:	Webbing rewind, Fallindicator
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	130 cm
Maximum leg size:	75 cm
Maximum temperature:	45 °C
Minimum hip size:	80 cm
Minimum leg size:	45 cm
Minimum temperature:	-35 °C
Padding:	Removeable shoulder paddings, Back padding, Leg paddings removeable

DATASHEET

IGNITE TRION

Buckles: stick_buckle, oktalock

Adjusting buckles: Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs

DIMENSIONS

Size: XS-M

MATERIAL

Material: Polyester, Aluminium, Stainless Steel, Steel
