

Data sheet

SUPER STATIC 11.0



GENERAL

Art. no.:	L-0524-3
EAN:	4030281232957
Standard:	EN 1891-A:1998 EN 354:2010 EN 795-B:2012

E-class number:	40-02-90-06
Customs no.:	56075030

Data sheet

SUPER STATIC 11.0

SUPER STATIC 11.0 rope
-one end with KOBRA TW
-one end without sewing

FEATURES

Colour:	white
Diameter:	11,00 mm
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 45 °C to -35 °C
Suspension element:	KM11

DIMENSIONS

Weight:	0,56 kg
---------	---------

MATERIAL

Material:	Polyamide, Steel
Rope material:	Polyamide

Data sheet

SUPER STATIC 11.0



GENERAL

Art. no.:	L-0524-20
EAN:	4030281165958
Standard:	EN 1891-A:1998 EN 354:2010 EN 795-B:2012

E-class number:	40-02-90-06
Customs no.:	56075030

Data sheet

SUPER STATIC 11.0

SUPER STATIC 11.0 rope
-one end with KOBRA TW
-one end without sewing

FEATURES

Colour:	white
Diameter:	11,00 mm
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 45 °C to -35 °C
Suspension element:	KM11

DIMENSIONS

Size:	20m
Weight:	1,87 kg

MATERIAL

Material:	Polyamide, Steel
Rope material:	Polyamide

Data sheet

SUPER STATIC 11.0



GENERAL

Art. no.:	L-0524-50
EAN:	4030281265856
Standard:	EN 1891-A:1998 EN 354:2010 EN 795-B:2012

E-class number:	40-02-90-06
Customs no.:	56075030

Data sheet

SUPER STATIC 11.0

SUPER STATIC 11.0 rope
-one end with KOBRA TW
-one end without sewing

FEATURES

Colour:	white
Diameter:	11,00 mm
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 45 °C to -35 °C
Suspension element:	KM11

DIMENSIONS

Size:	50m
Weight:	4,15 kg

MATERIAL

Material:	Polyamide, Steel
Rope material:	Polyamide

Data sheet

SUPER STATIC 11.0



GENERAL

Art. no.:	L-0524-100
EAN:	4030281220756
Standard:	EN 1891-A:1998 EN 354:2010 EN 795-B:2012

E-class number:	40-02-90-06
Customs no.:	56075030

Data sheet

SUPER STATIC 11.0

SUPER STATIC 11.0 rope
-one end with KOBRA TW
-one end without sewing

FEATURES

Colour:	white
Diameter:	11,00 mm
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 45 °C to -35 °C
Suspension element:	KM11

DIMENSIONS

Weight:	7,95 kg
---------	---------

MATERIAL

Material:	Polyamide, Steel
Rope material:	Polyamide