

Data sheet
PEANUT Y



GENERAL

Art. no.: HSG-022-1,8-1

EAN: 4030281182023

Standard: DIN 19427:2017
EN 360:2002
GS-PS-12:2019
RFU PPE-
R/11.060:2018
RFU PPE-
R/11.085:2020
RFU PPE-
R/11.124:2020

E-class number: 40-02-01-03

Customs no.: 84798997

Data sheet

PEANUT Y

Ultra-compact fall protection device with FS 90 ALU carabiner on anchoring. The Peanut is already equipped with the new One-4-All shock absorber and is therefore approved for the weight class 50-135-kg.1.8 m length for use in aerial work platforms.

FEATURES

Colour:	orange / black
Fall indicator	
Suitable for edges:	yes
Max. service life:	10 Years
Max. number of persons:	1
Rated load:	135 KG
Patent	
Temperature:	from 45 °C to -35 °C
Suspension element:	BAND
Area of application:	Facade / Window Cleaning, Fire brigade / Rescue / Special Forces

DIMENSIONS

Size:	1,8m
Weight:	2,84 kg

HARDWARE

Carabiner on anchoring point side:
FS 90 ALU

Carabiner on belt side: STAK TRI

MATERIAL

Material:
Polyester, Polyamide, Steel